

User Manual 4.15 Interpolation Methods

De Wiki

Aller à : [navigation](#), [rechercher](#)

[User Manual 4.15 Interpolation Methods](#)

Introduction

Scope

In this section, a focus is realised on the following interpolation methods: spline, bicubic, tricubic, Lagrange and Newton, covariance matrix and linear in 1D, 2D or 3D interpolation.

Javadoc

The interpolation objects are available in the package `fr.cnes.sirius.patrius.math.analysis.interpolation` and in the package `fr.cnes.sirius.patrius.propagation.analytical.covariance`.

Library	Javadoc
Patrius	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/interpolation/package-summary.html Package <code>fr.cnes.sirius.patrius.math.analysis.interpolation</code>
Patrius	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/interpolation/package-summary.html Package <code>fr.cnes.sirius.patrius.math.analysis.interpolation</code>
Patrius	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/propagation/analytical/covariance/package-summary.html Package <code>fr.cnes.sirius.patrius.propagation.analytical.covariance</code>

Links

None as of now.

Useful Documents

None as of now.

Package Overview

The package `fr.cnes.sirius.patrius.math.analysis.interpolation` contains all the interpolation classes described in this section.

Features Description

Spline interpolation

The *spline interpolator* generates an interpolating function $f(x): \mathbb{R} \rightarrow \mathbb{R}$. The user gives as entries 2 sets of values, the values of x , y . The interpolator gives the function f such as $y=f(x)$.

For the linear equation $y=2x+1$

```
double x[] = { 0.0, 1.0, 2.0 };
double y[] = { 1.0, 3.0, 5.0 };
```

```
UnivariateInterpolator interpolator = new SplineInterpolator();
UnivariateFunction function = interpolator.interpolate(x, y);
double value = function .value(0.5);
```

Bicubic interpolation

The ***bicubic interpolator*** generates an interpolating function $f(x,y): \mathbb{R}^2 \rightarrow \mathbb{R}$. The interpolator computes internally the coefficients of the bicubic function that is the interpolating function. The user gives as entries 3 sets of values, the values of x, y and z. The interpolator gives the function f such as $z=f(x,y)$.

For the equation of the plane $z=2x-3y + 5$

```
double x[] = { 3, 4, 5, 6.5 };
double y[] = {-4, -3, -1, 2, 2.5 };
double z[][] = {{ 23, 20, 14, 5, 3.5 },
  { 25, 22, 16, 7, 5.5 },
  { 27, 24, 18, 9, 7.5 },
  { 30, 27, 21, 12, 10.5 }};
BivariateGridInterpolator interpolator = new BicubicSplineInterpolator();
BivariateFunction function = interpolator.interpolate(x, y, z);
```

Tricubic interpolation

The ***tricubic interpolator*** generates an interpolating function $f(x,y,z): \mathbb{R}^3 \rightarrow \mathbb{R}$. The interpolator computes internally the coefficients of the tricubic function that is the interpolating function. The user gives as entries 4 sets of values, the values of x, y, z and w. The interpolator gives the function f such as $w=f(x,y,z)$.

For the equation of the plane $w=2x- 3y - z + 5$

```
double x[] = { 3.0, 4.0, 5.0, 6.5 };
double y[] = {-4.0, -3.0, -1.0, 2.0, 2.5 };
double z[] = {-12.0, -8.0, -5.5, -3.0, 0.0, 2.5 };
double w[][][] = {{{ 35, 31, 28.5, 26, 23, 20.5 },
  { 32, 28, 25.5, 23, 20, 17.5 },
  { 26, 22, 19.5, 17, 14, 11.5 },
  { 17, 13, 10.5, 8, 5, 2.5 },
  { 15.5, 11.5, 9, 6.5, 3.5, 1 }},
  {{ 37, 33, 30.5, 28, 25, 22.5 },
  { 34, 30, 27.5, 25, 22, 19.5 },
  { 28, 24, 21.5, 19, 16, 13.5 },
  { 19, 15, 12.5, 10, 7, 4.13 },
  { 17.5, 13.5, 11, 8.5, 5.5, 3 }},
  {{ 39, 35, 32.5, 30, 27, 24.13 },
```

```

{ 36, 32, 39.5, 27, 24, 21.5 },
{ 30, 26, 23.5, 21, 18, 15.5 },
{ 21, 17, 14.13, 12, 9, 6.5 },
{ 19.5, 15.5, 13, 10.5, 7.5, 5 }},
{{ 42, 38, 35.5, 33, 30, 27.5 },
{ 39, 35, 32.5, 30, 27, 24.13 },
{ 33, 29, 26.5, 24, 21, 18.5 },
{ 24, 20, 17.5, 15, 12, 9.5 },
{ 22.5, 18.5, 16, 13.5, 10.5, 8 }}}};

```

```

TrivariateGridInterpolator interpolator = new TricubicSplineInterpolator();
TrivariateFunction function = interpolator.interpolate(x, y, z, w);

```

Lagrange interpolation

The **Lagrange interpolator** generates an interpolating function $f(x): \mathbb{R} \rightarrow \mathbb{R}$. The user gives as entries 2 sets of values, the values of x, y. The interpolator gives the function f such as $y=f(x)$.

For the linear equation $y=2x+1$

```

double x[] = { 0.0, 1.0, 2.0 };
double y[] = { 1.0, 3.0, 5.0 };

```

```

UnivariateFunction interpolator = new PolynomialFunctionLagrangeForm(x,y);
double value = interpolator.value(0.5);

```

Newton interpolation

The **Newton interpolator** generates an interpolating function $f(x): \mathbb{R} \rightarrow \mathbb{R}$. The user gives as entries 2 sets of values, the coefficients c_i and the centers x_i such as the polynomial function $P(x)=c_0 + c_1 (x - x_0) + \dots + c_n (x - x_n)$. The interpolator gives the function f such as $y=P(x)$.

For the linear equation $y=2x+1$

```

double c_i[] = { 3.0, 2.0 };
double x_i[] = { 1.0 };

```

```

UnivariateFunction interpolator = new PolynomialFunctionNewtonForm(c_i,x_i);
double value = interpolator.value(0.5);

```

Covariance matrix interpolation

The purpose of this interpolation algorithm is to compute the covariance matrix at a given date through a simplified model of the transition matrix. When a covariance in PV coordinates is searched for an object orbiting around an celestial body, a simple dynamical model can be used, meaning limited to the newtonian attraction, plus a constant acceleration. The value of this constant acceleration will not change the transition matrix.

The transition matrix between a date t_1 and a date t can be approximated :

- at order 0 : by $\phi_1(t_1, t) = I_{\{3 \times 3\}}$
- at order 1 : by $\phi_1(t_1, t) = I_{\{3 \times 3\}} + J_{\{PV\}} (t - t_1)$
- at order 2 : by $\phi_1(t_1, t) = I_{\{3 \times 3\}} + J_{\{PV\}} (t - t_1) + 0.5 * J_{\{PV\}}^2 (t - t_1)^2$

where $J_{\{PV\}} = \begin{pmatrix} 0_{\{3 \times 3\}} & I_{\{3 \times 3\}} \end{pmatrix} \begin{matrix} A \\ 0_{\{3 \times 3\}} \end{matrix}$, $J_{\{PV\}}^2 = \begin{pmatrix} A & 0_{\{3 \times 3\}} \\ 0_{\{3 \times 3\}} & A \end{pmatrix}$ and $A = -\frac{GM}{r^3} \left(I_{\{3 \times 3\}} - 3 \frac{PP^T}{r^2} \right)$, where A is considered as a constant on the interval $[t_1, t]$ and P is the satellite position vector.

We denote by $M(t)$ the covariance matrix at instant t . Let $t \in [t_1, t_2]$. The transition matrices $\phi_1(t_1, t)$ and $\phi_2(t_2, t)$ are given by the above formula, and since matrix A is constant on $[t_1, t_2]$, we have that the covariance matrix at instant t is given by $M(t) = (1 - \alpha) \phi_1(t_1, t) M(t_1) \phi_1^T(t_1, t) + \alpha \phi_2(t_2, t) M(t_2) \phi_2^T(t_2, t)$ with $\alpha = \frac{t - t_1}{t_2 - t_1}$.

Linear interpolation

These classes allow linear piecewise interpolations in dimensions 1, 2 or 3.

1D interpolation

Let f be a real function $\mathbb{R} \rightarrow \mathbb{R}$ and $[x_1, x_2]$ the interpolation interval, where $f(x_1), f(x_2)$ are known. For all $x \in [x_1, x_2]$, the interpolated value $f(x)$ is given by $f(x) = f(x_1) + (x - x_1) \frac{f(x_2) - f(x_1)}{x_2 - x_1}$.

2D interpolation

The two dimensional interpolation will be two successive 1D interpolations. Let f be a real function $\mathbb{R}^2 \rightarrow \mathbb{R}$ and $[x_1, x_2] \times [y_1, y_2]$ the interpolation interval. First, a 1D interpolation in the y direction is made, leading to $f(x, y_1) = f(x_1, y_1) + (y - y_1) \frac{f(x_2, y_1) - f(x_1, y_1)}{y_2 - y_1}$,

$$f(x, y_2) = f(x_1, y_2) + (y - y_1) \frac{f(x_2, y_2) - f(x_1, y_2)}{y_2 - y_1}.$$

Then a second 1D interpolation is made in the x direction with the previous two interpolated values : $f(x, y) = f(x, y_1) + (x - x_1) \frac{f(x, y_2) - f(x, y_1)}{x_2 - x_1}$.

3D interpolation

Let f be a real function $\mathbb{R}^3 \rightarrow \mathbb{R}$ and $[x_1, x_2] \times [y_1, y_2] \times [z_1, z_2]$ the interpolation interval. There will be

$2^3 - 1$ successives 1D interpolations.

$f(x,y,z)$ is interpolated from $f(x,y,z_1)$ and $f(x,y,z_2)$.

$f(x,y,z_1)$ is interpolated from $f(x,y_1,z_1)$ and $f(x,y_2,z_1)$.

$f(x,y,z_2)$ is interpolated from $f(x,y_1,z_2)$ and $f(x,y_2,z_2)$.

$f(x,y_1,z_1)$ is interpolated from $f(x_1,y_1,z_1)$ and $f(x_2,y_1,z_1)$.

$f(x,y_2,z_1)$ is interpolated from $f(x_1,y_2,z_1)$ and $f(x_2,y_2,z_1)$.

$f(x,y_1,z_2)$ is interpolated from $f(x_1,y_1,z_2)$ and $f(x_2,y_1,z_2)$.

$f(x,y_2,z_2)$ is interpolated from $f(x_1,y_2,z_2)$ and $f(x_2,y_2,z_2)$.

Getting Started

[Modèle:SpecialInclusion prefix=\\$theme sub section="GettingStarted"/](#)

Contents

Interfaces

The library defines the following interfaces related to interpolation :

Interface	Summary	Javadoc
UnivariateInterpolator	Interface for a univariate interpolating function.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/interpolation/UnivariateInterpolator.html ...]
BivariateGridInterpolator	Interface for a bivariate interpolating function where the sample points must be specified on a regular grid.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/interpolation/BivariateGridInterpolator.html ...]
TrivariateGridInterpolator	Interface for a trivariate interpolating function where the sample points must be specified on a regular grid.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/interpolation/TrivariateGridInterpolator.html ...]
UnivariateFunction	Interface for a univariate function	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/UnivariateFunction.html ...]

Classes

This section is about the following classes related to interpolation :

Class	Summary	Javadoc
SplineInterpolator	Spline interpolator for a univariate real function.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/interpolation/SplineInterpolator.html ...]
BicubicSplineInterpolator	Bicubic spline interpolator for a bivariate real function.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/interpolation/BicubicSplineInterpolator.html ...]
TricubicSplineInterpolator	Tricubic spline interpolator for a trivariate real function.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/interpolation/TricubicSplineInterpolator.html ...]
PolynomialFunctionLagrangeForm	Lagrange interpolator, directly usable as a univariate real function.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/polynomials/PolynomialFunctionLagrangeForm.html ...]
PolynomialFunctionNewtonForm	Newton interpolator, directly usable as a univariate real function.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/polynomials/PolynomialFunctionNewtonForm.html ...]
Class	Summary	Javadoc
CovarianceInterpolation	Interpolator of a covariance matrix based on its two surrounding covariance matrices.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/propagation/analytical/covariance/CovarianceInterpolation.html ...]
OrbitCovariance	Class containing a covariance matrix and its associated AbsoluteDate. New class replacing older class CovarianceMatrix	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/propagation/analytical/covariance/OrbitCovariance.html ...]
Class	Summary	Javadoc
CovarianceInterpolation	Interpolator of a covariance matrix based on its two surrounding covariance matrices.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/propagation/analytical/covariance/CovarianceInterpolation.html ...]
OrbitCovariance	Class containing a covariance matrix and its associated AbsoluteDate. New class replacing older class CovarianceMatrix	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/propagation/analytical/covariance/OrbitCovariance.html ...]
Class	Summary	Javadoc
AbstractLinearIntervalsFunction	Abstract class for linear interpolations.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/interpolation/AbstractLinearIntervalsFunction.html ...]
UniLinearIntervalsFunction	Linear one-dimensional function.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/interpolation/UniLinearIntervalsFunction.html ...]
BiLinearIntervalsFunction	Linear two-dimensional function.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/interpolation/BiLinearIntervalsFunction.html ...]

TriLinearIntervalsFunction	Linear three-dimensional function.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/interpolation/TriLinearIntervalsFunction.html ...]
UniLinearIntervalsInterpolator	Interpolator of linear one-dimensional functions.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/interpolation/UniLinearIntervalsInterpolator.html ...]
BiLinearIntervalsInterpolator	Interpolator of linear two-dimensional functions.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/interpolation/BiLinearIntervalsInterpolator.html ...]
TriLinearIntervalsInterpolator	Interpolator of linear three-dimensional functions.	[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/interpolation/TriLinearIntervalsInterpolator.html ...]

Récupérée de

« http://patrius.cnes.fr/index.php?title=User_Manual_4.15_Interpolation_Methods&oldid=3862 »

Catégorie :

- [User Manual 4.15 Mathematics](#)

Menu de navigation

Outils personnels

- [3.139.108.99](#)
- [Discussion avec cette adresse IP](#)
- [Créer un compte](#)
- [Se connecter](#)

Espaces de noms

- [Page](#)
- [Discussion](#)

Variantes

Affichages

- [Lire](#)
- [Voir le texte source](#)
- [Historique](#)
- [Exporter en PDF](#)

Plus

Rechercher

PATRIUS

- [Welcome](#)

Evolutions

- [Main differences between V4.15 and V4.14](#)
- [Main differences between V4.14 and V4.13](#)
- [Main differences between V4.13 and V4.12](#)
- [Main differences between V4.12 and V4.11](#)
- [Main differences between V4.11 and V4.10](#)
- [Main differences between V4.10 and V4.9](#)
- [Main differences between V4.9 and V4.8](#)
- [Main differences between V4.8 and V4.7](#)
- [Main differences between V4.7 and V4.6.1](#)
- [Main differences between V4.6.1 and V4.5.1](#)
- [Main differences between V4.5.1 and V4.4](#)
- [Main differences between V4.4 and V4.3](#)
- [Main differences between V4.3 and V4.2](#)
- [Main differences between V4.2 and V4.1.1](#)
- [Main differences between V4.1.1 and V4.1](#)
- [Main differences between V4.1 and V4.0](#)
- [Main differences between V4.0 and V3.4.1](#)

User Manual

- [User Manual 4.15](#)
- [User Manual 4.14](#)
- [User Manual 4.13](#)
- [User Manual 4.12](#)
- [User Manual 4.11](#)
- [User Manual 4.10](#)
- [User Manual 4.9](#)
- [User Manual 4.8](#)
- [User Manual 4.7](#)
- [User Manual 4.6.1](#)
- [User Manual 4.5.1](#)
- [User Manual 4.4](#)
- [User Manual 4.3](#)
- [User Manual 4.2](#)
- [User Manual 4.1](#)
- [User Manual 4.0](#)
- [User Manual 3.4.1](#)
- [User Manual 3.3](#)

Tutorials

- [Tutorials 4.15](#)

- [Tutorials 4.14](#)
- [Tutorials 4.13.5](#)
- [Tutorials 4.12.1](#)
- [Tutorials 4.8.1](#)
- [Tutorials 4.5.1](#)
- [Tutorials 4.4](#)
- [Tutorials 4.1](#)
- [Tutorials 4.0](#)

Links

- [CNES freeware server](#)

Navigation

- [Accueil](#)
- [Modifications récentes](#)
- [Page au hasard](#)
- [Aide](#)

Outils

- [Pages liées](#)
- [Suivi des pages liées](#)
- [Pages spéciales](#)
- [Adresse de cette version](#)
- [Information sur la page](#)
- [Citer cette page](#)

• Dernière modification de cette page le 21 novembre 2024 à 15:36.

- [Politique de confidentialité](#)
- [À propos de Wiki](#)
- [Avertissements](#)

- 