

# User Manual 4.15 Numerical differentiation and integration

De Wiki

Aller à : [navigation](#), [rechercher](#)

[User Manual 4.15 Numerical differentiation and integration](#)

## Introduction

### Scope

This section details numerical differentialtion and integration (not to be misunderstood with numerical integration of ODE). A focus is realised on:

- differentiation methods of real univariate functions: Ridders and finite difference.
- integration methods of real univariate functions : Trapezoidal and Simpson.

### Javadoc

The numerical differentiator objects are available in the package  
`fr.cnes.sirius.patrius.math.analysis.differentiation`. The numerical integrator  
objects are available in the package `fr.cnes.sirius.patrius.math.analysis.integration`.

Library	Javadoc
Patrius	<a href="#">[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/differentiation/package-summary.html</a> Package <code>fr.cnes.sirius.patrius.math.analysis.differentiation</code> ]
Patrius	<a href="#">[[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/integration/package-summary.html</a> Package <code>fr.cnes.sirius.patrius.math.analysis.integration</code> ]

### Links

Links to the implemented integration methods :

<http://mathworld.wolfram.com/TrapezoidalRule.html>

<http://mathworld.wolfram.com/SimpsonsRule.html>

### Useful Documents

None as of now.

### Package Overview

The numerical differentiation conception is described hereafter :



Accuracy of integration method (all examples are based on sinus function):

Default setting	Value
-----------------	-------

Maximum absolute error	1.0e-15
Maximum relative error	1.0e-6
Maximum number of iterations	64
Minimum number of iterations	3

Note : the accuracy of the results and the computing time are directly dependent on the value of maximum relative error.

## Features Description

### Numerical differentiation

#### Finite difference

Finite difference is the discrete analog of the derivative. The user can choose the number of points to use and the step size (the gap between each point).

#### Ridders algorithm

The derivative of a function at a point x is computed using the Ridders method of polynomial extrapolation.

### Numerical Integration

#### Trapezoidal method

The trapezoidal rule works by approximating the region under the graph of the function as a trapezoid and calculating its area.

```
UnivariateFunction f = new SinFunction();
UnivariateIntegrator integrator = new TrapezoidIntegrator();
double r = integrator.integrate(10000, f, 0, FastMath.PI);
```

Result : r = 1.9999996078171345 (exact result = 2)

And :

```
integrator = new TrapezoidIntegrator(1.e-12, 1.0e-15, 3, 64);
r = integrator.integrate(10000000, f, 0, FastMath.PI);
```

Result : r = 1.9999999999904077

But :

```
integrator = new TrapezoidIntegrator(1.e-13, 1.0e-15, 3, 64);
r = integrator.integrate(10000000, f, 0, FastMath.PI);
```

Result : r = no result (infinite time !)

## Simpson method

Simpson's rule is a Newton-Cotes formula for approximating the integral of a function using quadratic polynomials (i.e., parabolic arcs instead of the straight line segments used in the trapezoidal rule). In general, this method has faster convergence than the trapezoidal rule for functions which are twice continuously differentiable, though not in all specific cases.

```
UnivariateFunction f = new SinFunction();
UnivariateIntegrator integrator = new SimpsonIntegrator();
double r = integrator.integrate(10000, f, 0, FastMath.PI);
```

Result :  $r = 2.000000064530001$  (exact result = 2)

## Getting Started

[Modèle:SpecialInclusion prefix=\\$theme sub section="GettingStarted"/](#)

## Contents

### Interfaces

Interface	Summary	Javadoc
<b>UnivariateFunctionDifferentiator</b>	This interface represents a generic numerical differentiator. [[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/differentiation/UnivariateFunctionDifferentiator.html ...]	
UnivariateIntegrator	Interface for univariate integration algorithms. [[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/integration/UnivariateIntegrator.html ...]	

### Classes

Class	Summary	Javadoc
<b>FiniteDifferencesDifferentiator</b>	Apply the finite difference method to differentiate a function. [[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/differentiation/FiniteDifferencesDifferentiator.html ...]	
<b>RiddersDifferentiator</b>	Apply the Ridders algorithm to differentiate a function. [[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/differentiation/RiddersDifferentiator.html ...]	
TrapezoidIntegrator	The class implements the Trapezoidal rule. [[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/integration/TrapezoidIntegrator.html ...]	
SimpsonIntegrator	The class implements the Simpson rule. [[[:Modèle:JavaDoc4.15]]/fr/cnes/sirius/patrius/math/analysis/integration/SimpsonIntegrator.html ...]	

Récupérée de

«

[http://patrius.cnes.fr/index.php?title=User\\_Manual\\_4.15\\_Numerical\\_differentiation\\_and\\_integration&oldid=3865](http://patrius.cnes.fr/index.php?title=User_Manual_4.15_Numerical_differentiation_and_integration&oldid=3865) »

Catégorie :

- [User Manual 4.15 Mathematics](#)

# Menu de navigation

## Outils personnels

- [3.12.36.45](#)
- [Discussion avec cette adresse IP](#)
- [Créer un compte](#)
- [Se connecter](#)

## Espaces de noms

- [Page](#)
- [Discussion](#)

## Variantes

## Affichages

- [Lire](#)
- [Voir le texte source](#)
- [Historique](#)
- [Exporter en PDF](#)

## Plus

## Rechercher

  

## PATRIUS

- [Welcome](#)

## Evolutions

- [Main differences between V4.15 and V4.14](#)
- [Main differences between V4.14 and V4.13](#)
- [Main differences between V4.13 and V4.12](#)
- [Main differences between V4.12 and V4.11](#)
- [Main differences between V4.11 and V4.10](#)
- [Main differences between V4.10 and V4.9](#)

- [Main differences between V4.9 and V4.8](#)
- [Main differences between V4.8 and V4.7](#)
- [Main differences between V4.7 and V4.6.1](#)
- [Main differences between V4.6.1 and V4.5.1](#)
- [Main differences between V4.5.1 and V4.4](#)
- [Main differences between V4.4 and V4.3](#)
- [Main differences between V4.3 and V4.2](#)
- [Main differences between V4.2 and V4.1.1](#)
- [Main differences between V4.1.1 and V4.1](#)
- [Main differences between V4.1 and V4.0](#)
- [Main differences between V4.0 and V3.4.1](#)

## User Manual

- [User Manual 4.15](#)
- [User Manual 4.14](#)
- [User Manual 4.13](#)
- [User Manual 4.12](#)
- [User Manual 4.11](#)
- [User Manual 4.10](#)
- [User Manual 4.9](#)
- [User Manual 4.8](#)
- [User Manual 4.7](#)
- [User Manual 4.6.1](#)
- [User Manual 4.5.1](#)
- [User Manual 4.4](#)
- [User Manual 4.3](#)
- [User Manual 4.2](#)
- [User Manual 4.1](#)
- [User Manual 4.0](#)
- [User Manual 3.4.1](#)
- [User Manual 3.3](#)

## Tutorials

- [Tutorials 4.15](#)
- [Tutorials 4.14](#)
- [Tutorials 4.13.5](#)
- [Tutorials 4.12.1](#)
- [Tutorials 4.8.1](#)
- [Tutorials 4.5.1](#)
- [Tutorials 4.4](#)
- [Tutorials 4.1](#)
- [Tutorials 4.0](#)

## Links

- [CNES freeware server](#)

## Navigation

- [Accueil](#)
- [Modifications récentes](#)
- [Page au hasard](#)
- [Aide](#)

## Outils

- [Pages liées](#)
- [Suivi des pages liées](#)
- [Pages spéciales](#)
- [Adresse de cette version](#)
- [Information sur la page](#)
- [Citer cette page](#)
- Dernière modification de cette page le 21 novembre 2024 à 15:40.
- [Politique de confidentialité](#)
- [À propos de Wiki](#)
- [Avertissements](#)
- 